

10/529,497

## Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: sssptau155fxt

**PASSWORD :**

TERMINAL (ENTER 1, 2, 3, OR ?):2

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 17:53:43 ON 24 FEB 2006

=> set abbr on perm  
SET COMMAND COMPLETED

=> set plurals on perm  
SET COMMAND COMPLETED

=> file uspatall caplus japiro  
COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'USPATFULL' ENTERED AT 17:54:28 ON 24 FEB 2006  
CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 17:54:28 ON 24 FEB 2006  
CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CAPLUS' ENTERED AT 17:54:28 ON 24 FEB 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'JAPIO' ENTERED AT 17:54:28 ON 24 FEB 2006  
COPYRIGHT (C) 2006 Japanese Patent Office (JPO) - JAPIO

=> s (metathesis or metathetical or ring(1w)open?) (3a) (copolymer or terpolymer)  
L1 1702 (METATHESIS OR METATHETICAL OR RING(1W) OPEN?) (3A) (COPOLYMER OR  
TERPOLYMER)

=> s cycloolefin or cyclic olefin or norbornene(s) endo  
L2 17212 CYCLOOLEFIN OR CYCLIC OLEFIN OR NORBORNENE(S) ENDO

=> s l1 and l2  
L3 392 L1 AND L2

=> s l3 and exo(2w) (form or stereoisomer? or isomer?)  
L4 29 L3 AND EXO(2W) (FORM OR STEREOISOMER? OR ISOMER?)

5-stearoxymethyl-bicyclo [2,2,1]-heptene-2. The nitrile group, ester group and substituent having nitrile or ester group may take the endo or exo position. Though the cyano- and ester-substituted norbornene derivatives consist of two groups of isomers represented by the endo and exo positions occupied by the groups or substituents, yet said different groups of isomers can be effectively separated from each other by precision distillation. The endo type isomer, for example, 5-cyano-bicyclo [2,2,1]-heptene-2 remains solid at room temperature and has a boiling point of 88° C in an atmosphere reduced to 12 mm Hg. The exo type is a colorless liquid at room temperature, and has a boiling point of 80.5° C in an atmosphere reduced to 12 mm Hg, a density of 1.0065 g/cc at 20° C and a refractive index of 1.4862 with respect to the D line of sodium at 20° C. Said isomers can be used in a separated or nonseparated state in performing the ring-opening polymerization. It is possible to use a single or two or more types of the above-mentioned cyano- and ester-substituted norbornene derivatives.

SUMM The polymers prepared by ring-opening polymerization of cyano- or ester-substituted norbornene derivatives include not only homopolymers of cyano- or ester-substituted norbornene derivatives obtained by the above-mentioned process but also copolymers prepared by the ring-opening polymerization of a mixture of the cyano- or ester-substituted norbornene derivatives as a main component and other cycloolefinic compounds which is carried out in the same manner as in producing the homopolymers of said cyano- or ester-substituted norbornene derivatives.

SUMM Where the above-mentioned copolymers of cyano- or ester-substituted norbornene derivatives are used in producing the resin compositions of this invention, it is preferred that said copolymers be formed by ring-opening polymerization of a mixture containing one mol at most of other cycloolefinic compounds based on one mol of cyano- or ester-substituted norbornene derivatives. Where said other cycloolefinic compounds, for example monocyclic olefins such as cyclopentene and cyclooctene are used at the rate of more than one mol based on one mol of cyano- or ester-substituted norbornene derivatives, then the resin composition containing the resultant copolymers will have lower surface hardness and softening point.

CLM What is claimed is:  
2. High impact resin compositions according to claim 1 wherein said polymers prepared by ring-opening polymerization are copolymers prepared by ring-opening polymerization of the cyano-substituted norbornene derivatives together with other cycloolefinic compounds selected from the group consisting of monocyclic olefins, nonconjugated cyclopolynes, acid anhydride type norbornene derivatives, halogen type norbornene derivatives, ether type norbornene derivatives, imide type norbornene derivatives, aromatic norbornadiene derivatives, ester type norbornadiene derivatives, bicyclo[2,2,1]-heptene-2 and 1,4; 5,8-dimethano-1,2,3,4,4a5,8,8a-octahydronaphthalene.

=> d his full

(FILE 'HOME' ENTERED AT 17:53:43 ON 24 FEB 2006)  
SET ABBR ON PERM  
SET PLURALS ON PERM

FILE 'USPATFULL, USPAT2, CAPLUS, JAPIO' ENTERED AT 17:54:28 ON 24 FEB 2006  
L1 1702 SEA ABB=ON PLU=ON (METATHESIS OR METATHETICAL OR RING(1W)  
OPEN?) (3A) (COPOLYMER OR TERPOLYMER)

L2 17212 SEA ABB=ON PLU=ON CYCLOOLEFIN OR CYCLIC OLEFIN OR NORBORNENE (S) ENDO  
L3 392 SEA ABB=ON PLU=ON L1 AND L2  
L4 29 SEA ABB=ON PLU=ON L3 AND EXO (2W) (FORM OR STEREOISOMER? OR ISOMER?)  
D L4 1-29 IBIB ABS  
D L4 28 HIT  
L5 19 SEA ABB=ON PLU=ON L3 AND ENDO (2W) (FORM OR STEREOISOMER? OR ISOMER?)  
D L5 1-19 IBIB ABS  
D L5 7 HIT  
D L5 14 HIT

FILE HOME

FILE USPATFULL

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 23 Feb 2006 (20060223/PD)  
FILE LAST UPDATED: 23 Feb 2006 (20060223/ED)  
HIGHEST GRANTED PATENT NUMBER: US7003800  
HIGHEST APPLICATION PUBLICATION NUMBER: US2006041984  
CA INDEXING IS CURRENT THROUGH 23 Feb 2006 (20060223/UPCA)  
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 23 Feb 2006 (20060223/PD)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Dec 2005  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Dec 2005

FILE USPAT2

FILE COVERS 2001 TO PUBLICATION DATE: 23 Feb 2006 (20060223/PD)  
FILE LAST UPDATED: 23 Feb 2006 (20060223/ED)  
HIGHEST GRANTED PATENT NUMBER: US2004201620  
HIGHEST APPLICATION PUBLICATION NUMBER: US2006041918  
CA INDEXING IS CURRENT THROUGH 23 Feb 2006 (20060223/UPCA)  
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 23 Feb 2006 (20060223/PD)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Dec 2005  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Dec 2005

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 Feb 2006 VOL 144 ISS 10  
FILE LAST UPDATED: 23 Feb 2006 (20060223/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

FILE JAPIO

FILE COVERS APR 1973 TO OCTOBER 27, 2005

>>> GRAPHIC IMAGES AVAILABLE <<<

>>> NEW IPC8 DATA AND FUNCTIONALITY NOT YET AVAILABLE IN THIS FILE.